## Pests to Watch Out For

Laura Kraft

Washington State University

Laura.kraft@wsu.edu

503-836-7736

- B.S./M.S. at the University of Georgia studying aphid symbionts
- Ph.D. from NC State studying Spotted Wing Drosophila on small fruit crops
- 6 months in Hawaii studying Tephritid fruit fly resistance
- 14 months at Disney

# What I thought fieldwork was going to be like...





# What fieldwork is actually like





#### Also: Plinazolin?

| Commercial<br>Name | Active Ingredient                               | Dose   | Treatment<br>Interval  |
|--------------------|---|--|--|
| TetraCurb Max      | Castor Oil, Rosemary<br>Oil, etc                | 1% (128 fl<br>oz/100<br>gallons)                             | 5-7 Days   |
| Bexar              | Tolfenpyrad                                     | 27.0 fl<br>oz/acre<br>(0.28 lb<br>ai/acre)                   | Only 3x per<br>year, at least 14<br>days apart                       |
| Grandevo           | Chromobacterium<br>subtsugae strain<br>PRAA4-11 | 2-3 lbs per<br>acre  | 10-14 days   |
| Veratran D Hi      | Sabadilla Alkaloids                             | 10 to 15 lb.<br>per acre in 20<br>to 100 gallons<br>of water | Reapply every<br>10-14 days, as<br>needed                            |
| Azera              | Azadirachtin and<br>Pyrethrins                  | 2 pints per<br>acre  | No more than<br>every 5-7 days                                       |
| Danitol            | Fenpropathrin                                   | 10 2/3 fl<br>oz/acre or 0.2<br>lbs ai/A                      | No more than<br>0.6 lbs ai/A or 2<br>treatments per<br>calendar year |
| Movento            | Spirotetramat                                   | 10 fl oz/acre<br>or 0.16 lbs<br>ai/A                         | No more than 30<br>fl oz per ⊕                                       |



Oaks, maples, birch, and other hardwoods

Spongy Moth

#### Blunt Nose Leafhopper

- Piercing-sucking mouthpart
- Carries the phytoplasma that causes false blossom disease



### Black "Mirid" Bugs

- Haven't been seen in a while on the East Coast
- Damage young buds and leaves
- Piercing-sucking mouthparts



Adult Plagiognathus repetitus (Hemiptera: Miridae)

### Vaccinium Scale

- Piercing-sucking mouthparts
- Waxy protection



A cranberry upright encrusted by Vaccinium scale.



Vaccinium scale injury on a cranberry bed

# Vaccinium Scale



Variation in Vaccinium scale on cranberry leaves. Round female covers on left and elongated cover of

Image shows a flipped scale cover to reveal the saclike yellow female with eggs, white eggshells, and crawlers underneath.

#### Resistance?

- Have you had to increase dosage for insect pests, weed control, or diseases? If you go back through your spray records, would you notice anything?
- Have you found that some products that worked in the past are no longer working?
- Do you have any pests (insects, weeds, or diseases) that you only have one product that you can use on it?

Laura Kraft Washington State University Laura.kraft@wsu.edu 503-836-7736